


GSENSE2020BSI

4 MP ROLLING SHUTTER IMAGE SENSOR

GSENSE2020BSI is a backside illuminated (BSI) scientific CMOS image sensor, with 4 MP resolution and 6.5 μm pixel size. With six-transistor (6T) pixel architecture, GSENSE2020BSI features readout noise of 1.6 e^- , full well of 55 ke^- , as well as peak QE of 95%. In addition, the sensor supports correlated multiple sampling (CMS), the read noise can be further reduced to 1.2 e^- with 2-CMS operation.

GSENSE2020BSI's max. frame rate is 74 fps with 11bit HDR mode. The frame rate, as well as the global reset function, make GSENSE2020BSI the best solution for industrial inspection requiring superior UV sensitivity. In addition, GSENSE2020BSI is pin-compatible with GSENSE2020 and GSENSE2011, allowing easy hardware integration with minimized development, and fast time-to-market.



Key Features and Benefits

- ▶ Scientific BSI CMOS
- ▶ Peak QE of 95%
- ▶ Low Noise, Low Power for Long Exposure Modes


Application

- ▶ Spectroscopy
- ▶ Life Sciences
- ▶ Astronomy
- ▶ Microscopy
- ▶ X-Ray

Specifications

Nr of Active Pixels	2048(H) x 2048(V)	Optical Format	1.2"
Pixel Size	6.5 μm x 6.5 μm	Photosensitive Area	13.3 mm x 13.3 mm
Shutter Type	Rolling Shutter	Peak QE	95% (560 nm)
Full Well Capacity	55 ke ⁻ (HDR,LG)	Temporal Noise	1.2 e ⁻ (CMS) 1.6 e ⁻ (HDR,LG)
Dark Current	0.07 e ⁻ /pixel/s (-30 °C)	Dynamic Range	90.5 dB
Max Frame Rate	43 fps (12 bit) 74 fps (11 bit)	Output Format	8 ch LVDS (12 bit) 16 ch LVDS (11 bit)
Max. Data Rate	9.6 Gbps (11 bit)	ADC	11/12 bit
Chroma	Mono	Power Consumption	<1.2 W
Supply Voltage	3.5 V (analog) 2.0 V (digital)	Package	153 pins μ PGA (26.1 mm x 29.5 mm)

Package Drawing



Contact Gpixel

GPIXEL CHINA CHANGCHUN (HQ)

Building 5, Optoelectronic Information
Industrial Park, 7691 Ziyou Road,
130033 Changchun, Jilin, China
Phone: +86-431-85077785

GPIXEL EUROPE

Gpixel NV
Copernicuslaan 60, 2018
Antwerpen, Belgium
Phone: +32-33034442

GPIXEL JAPAN

Gpixel Japan Co., Ltd.
TOC Osaki Building 18th Floor, 1-6-1 Osaki,
Shinagawa-ku, Tokyo, 141-0032 Japan
Phone: +81-03-5962-1600



Disclaimer: The product information and pictures in this flyer are for reference only. For the latest information please visit www.gpixel.com.
GP-PR250801 V1.1